

## MA2600 KEYPAD PROGRAMMING SHEET

CUSTOMER: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_  
 ACCOUNT NO. \_\_\_\_\_  
 DATE: \_\_\_\_\_  
 TEL: \_\_\_\_\_

EXIT DELAY TIME (SEC) (3) <table border="1" style="display: inline-table; border-collapse: collapse;"> <tr><td style="width: 20px; height: 20px;">000</td></tr> <tr><td style="width: 20px; height: 20px;">x16</td><td style="width: 20px; height: 20px;">x1</td></tr> </table> (C)	000	x16	x1	ENTRY DELAY 1 TIME (SEC) (1) <table border="1" style="display: inline-table; border-collapse: collapse;"> <tr><td style="width: 20px; height: 20px;">001</td></tr> <tr><td style="width: 20px; height: 20px;">x16</td><td style="width: 20px; height: 20px;">x1</td></tr> </table> (E)	001	x16	x1	ENTRY DELAY 2 TIME (SEC) (1) <table border="1" style="display: inline-table; border-collapse: collapse;"> <tr><td style="width: 20px; height: 20px;">002</td></tr> <tr><td style="width: 20px; height: 20px;">x16</td><td style="width: 20px; height: 20px;">x1</td></tr> </table> (E)	002	x16	x1
000											
x16	x1										
001											
x16	x1										
002											
x16	x1										

### USER ARM/DISARM CODES

USER 1	USER 2	USER 3	USER 4																																																
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>003</td><td>004</td><td>005</td><td>006</td><td>007</td><td>008</td></tr><tr><td>(7)</td><td>(8)</td><td>(9)</td><td></td><td></td><td></td></tr></table>	003	004	005	006	007	008	(7)	(8)	(9)				<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>009</td><td>010</td><td>011</td><td>012</td><td>013</td><td>014</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	009	010	011	012	013	014							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>015</td><td>016</td><td>017</td><td>018</td><td>019</td><td>020</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	015	016	017	018	019	020							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>021</td><td>022</td><td>023</td><td>024</td><td>025</td><td>026</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	021	022	023	024	025	026						
003	004	005	006	007	008																																														
(7)	(8)	(9)																																																	
009	010	011	012	013	014																																														
015	016	017	018	019	020																																														
021	022	023	024	025	026																																														
USER 5	USER 6	USER 7	USER 8																																																
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>027</td><td>028</td><td>029</td><td>030</td><td>031</td><td>032</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	027	028	029	030	031	032							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>033</td><td>034</td><td>035</td><td>036</td><td>037</td><td>038</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	033	034	035	036	037	038							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>039</td><td>040</td><td>041</td><td>042</td><td>043</td><td>044</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	039	040	041	042	043	044							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>045</td><td>046</td><td>047</td><td>048</td><td>049</td><td>050</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	045	046	047	048	049	050						
027	028	029	030	031	032																																														
033	034	035	036	037	038																																														
039	040	041	042	043	044																																														
045	046	047	048	049	050																																														
USER 9	USER 10	USER 11	USER 12																																																
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>051</td><td>052</td><td>053</td><td>054</td><td>055</td><td>056</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	051	052	053	054	055	056							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>057</td><td>058</td><td>059</td><td>060</td><td>061</td><td>062</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	057	058	059	060	061	062							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>063</td><td>064</td><td>065</td><td>066</td><td>067</td><td>068</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	063	064	065	066	067	068							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>069</td><td>070</td><td>071</td><td>072</td><td>073</td><td>074</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	069	070	071	072	073	074						
051	052	053	054	055	056																																														
057	058	059	060	061	062																																														
063	064	065	066	067	068																																														
069	070	071	072	073	074																																														
USER 13	USER 14	USER 15	USER 16																																																
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>075</td><td>076</td><td>077</td><td>078</td><td>079</td><td>080</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	075	076	077	078	079	080							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>081</td><td>082</td><td>083</td><td>084</td><td>085</td><td>086</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	081	082	083	084	085	086							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>087</td><td>088</td><td>089</td><td>090</td><td>091</td><td>092</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	087	088	089	090	091	092							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>093</td><td>094</td><td>095</td><td>096</td><td>097</td><td>098</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	093	094	095	096	097	098						
075	076	077	078	079	080																																														
081	082	083	084	085	086																																														
087	088	089	090	091	092																																														
093	094	095	096	097	098																																														

SERVICE CODE	USER PROGRAM CODE	ACCESS CODE	AMBUSH CODE																																								
<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>099</td><td>100</td><td>101</td><td>102</td><td>103</td><td>104</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	099	100	101	102	103	104							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>105</td><td>106</td><td>107</td><td>108</td><td>109</td><td>110</td></tr><tr><td>(1)</td><td>(2)</td><td>(3)</td><td>(4)</td><td>(5)</td><td>(6)</td></tr></table>	105	106	107	108	109	110	(1)	(2)	(3)	(4)	(5)	(6)	<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>111</td><td>112</td><td>113</td><td>114</td><td>115</td><td>116</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	111	112	113	114	115	116							<table border="1" style="width: 100%; border-collapse: collapse;"><tr><td>117</td><td>118</td></tr><tr><td></td><td></td></tr></table>	117	118		
099	100	101	102	103	104																																						
105	106	107	108	109	110																																						
(1)	(2)	(3)	(4)	(5)	(6)																																						
111	112	113	114	115	116																																						
117	118																																										

### TRANSMISSION INFORMATION

DEALER SECURITY CODE\*

CALLBACK TELEPHONE NUMBER

119	120	121	122	123	124	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

TEL NO.      FORMAT RCVR | DATA

1	208	209
2	210	211
3	212	213

DIALER TELEPHONE NUMBER

(DIAL-TONE DETECTION "E" OR PRE-DIAL DELAY "D" REQUIRED AS FIRST ENTRY)

128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147
(E)																			
148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167
(E)																			
168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
(E)																			

ENTRY	RECEIVER FORMAT
BLANK	ADEMCO SLOW, SILENT KNIGHT SLOW
1	SESCOA, VERTEX, DCI, FRANKLIN FAST
2	RADIONICS FAST
3	SILENT KNIGHT FAST
4	RADIONICS, DCI, FRANKLIN SLOW
5	UNIVERSAL HI-SPEED
8	RADIONICS BFSK

DATA FORMAT		ENTRY	
ENTRY	SUM CHECK	ENTRY	2300Hz HANDSHAKE
1	(NOT USED)	2	2300Hz KISSOFF
4	(NOT USED)	4	2-DIGIT OR 4/2
8	(NOT USED)	8	SINGLE DIGIT ONLY

\*SEE LABEL ON MICRO CAN FOR MASTER SECURITY CODE. ALSO SEE "DEALER SECURITY CODE" IN GLOSSARY

## MA2600 KEYPAD PROGRAMMING SHEET

SUBSCRIBER I.D. NUMBERS, TELEPHONE #1	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267
	OPEN/CLOSE				BANK ZERO				BANK ONE				BANK TWO				BANK THREE			
	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287
	BANK FOUR				BANK FIVE				BANK SIX				BANK SEVEN				BANK EIGHT			

---

SUBSCRIBER I.D. NUMBERS, TELEPHONE #2	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307
	OPEN/CLOSE				BANK ZERO				BANK ONE				BANK TWO				BANK THREE			
	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327
	BANK FOUR				BANK FIVE				BANK SIX				BANK SEVEN				BANK EIGHT			

---

SUBSCRIBER I.D. NUMBERS, TELEPHONE #3	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347
	OPEN/CLOSE				BANK ZERO				BANK ONE				BANK TWO				BANK THREE			
	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367
	BANK FOUR				BANK FIVE				BANK SIX				BANK SEVEN				BANK EIGHT			

BANK ZERO ALARM CODES										BANK ONE ALARM CODES								BANK TWO ALARM CODES							
FIRE #1	FIRE #2	FIRE TBL	AMB	PAN	LOW BATT	AC FAIL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16			
368	370	372	374	376	378	380	385	387	389	391	393	395	397	399	401	403	405	407	409	411	413	415			
(1)	(1)	(1)	(2)	(2)	(1)	(1)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)			
369	371	373	375	377	379	381	386	388	390	392	394	396	398	400	402	404	406	408	410	412	414	416			
(1)	(2)	(1)	(1)	(2)	(8)	(9)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)			

  

EVENT CODES (NOT USED IN BFSK FORMAT)										
EVENT	BANK 0	BANK 1	BANK 2	BANK 3	BANK 4	BANK 5	BANK 6	BANK 7	BANK 8	PULSE- BFSK -
ALARM----->	(USE ABOVE ALARM CODES)			426	429	432	435	438	441	uses above alarm codes (1st and/or 2nd code) "ALARM" then 2nd code (1st if 2nd blank)
				(5)	(6)	(7)	(8)	(9)	(0)	Event Code then position of zone (1-8) "ALARM" then position of zone (1-8)
RESTORE----->	418	421	424	427	430	433	436	439	442	Event Code then 2nd code (1st if 2nd blank) "TROUBLE" then 2nd code (1st if 2nd blank)
	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	(E)	Event Code then position of zone (1-8) "TROUBLE" then position of zone (1-8)
TROUBLE/STATUS->	422	425	428	431	434	437	440	443		Event Code then 2nd code (1st if 2nd blank) "RESTORE" then 2nd code (1st if 2nd blank)
	(F)	(F)	(F)	(F)	(F)	(F)	(F)	(F)		Event Code then position of zone (1-8) "RESTORE" then by position of zone (1-8)

  

382	383	384	
(B)	(C)	(F)	
OPENING CODE	CLOSING CODE	*FORCE ARM CODE	*LEAVE BLANK IF NOT REPORTING FORCE ARM; NOT USED FOR STATUS, BFSK, 4/2.

  

	<p style="text-align: center;"><u>ALARMS, BANKS 0, 1, 2</u></p> <p>PULSE- Event Code then position of zone (1-8) BFSK - "ALARM" then 2nd code (1st if 2nd blank)</p> <p style="text-align: center;"><u>ALARMS, BANKS 3 THROUGH 8</u></p> <p>PULSE- Event Code then position of zone (1-8) BFSK - "ALARM" then position of zone (1-8)</p> <p style="text-align: center;"><u>TROUBLES, BANKS 1, 2</u></p> <p>PULSE- Event Code then 2nd code (1st if 2nd blank) BFSK - "TROUBLE" then 2nd code (1st if 2nd blank)</p> <p style="text-align: center;"><u>TROUBLES, BANKS 3 THROUGH 8</u></p> <p>PULSE- Event Code then position of zone (1-8) BFSK - "TROUBLE" then position of zone (1-8)</p> <p style="text-align: center;"><u>RESTORES, BANKS 0, 1, 2</u></p> <p>PULSE- Event Code then 2nd code (1st if 2nd blank) BFSK - "RESTORE" then 2nd code (1st if 2nd blank)</p> <p style="text-align: center;"><u>RESTORES, BANKS 3 THROUGH 8</u></p> <p>PULSE- restore Event Code then position of zone (1-8) BFSK - "RESTORE" then by position of zone (1-8)</p> <p style="text-align: center;"><u>TROUBLE RESTORES, BANKS 1, 2</u></p> <p>PULSE- restore Event Code then trouble Event Code BFSK - "RESTORE" then 2nd code (1st if 2nd blank)</p> <p style="text-align: center;"><u>TROUBLE RESTORES, BANKS 3 THROUGH 8</u></p> <p>PULSE restore Event Code then trouble Event Code BFSK - "RESTORE" then position of zone (1-8)</p>
--	---

## MA2600 KEYPAD PROGRAMMING SHEET

### ZONE FEATURES

FEATURE	RANK TWO					RANK ONE					RANK ZERO															
	ZONE					ZONE					ZONE															
	16	15	14	13	ADDR	12	11	10	9	8	7	6	5	ADDR	4	3	2	1	AC	LB	PA	ADDR	AM	FT	F2	F1
LOOP RESPONSE 50ms	8	4	2	1	624	8	4	2	1	8	4	2	1	576	8	4	2	1	*	*	*	528	*	*	*	*
LOOP RESPONSE 10ms	8	4	2	1	625	8	4	2	1	8	4	2	1	577	8	4	2	1	*	*	*	529	*	*	*	*
PRIORITY ZONE	(8)	(4)	(2)	(1)	626	(8)	(4)	(2)	(1)	(8)	(4)	(2)	(1)	578	(8)	(4)	(2)	(1)	4	2	1	530	*	4	2	1
PRIORITY WITH BYPASS	8	4	2	1	627	8	4	2	1	8	4	2	1	579	8	4	2	1	4	2	1	531	*	4	2	1
AUTO BYPASS	8	4	2	1	628	8	4	2	1	8	4	2	1	580	8	4	2	1	*	*	*	532	*	*	*	*
SELECTIVE BYPASS	(8)	(4)	(2)	(1)	629	(8)	(4)	(2)	(1)	(8)	(4)	(2)	(1)	581	(8)	(4)	(2)	(1)	*	*	*	533	*	*	*	*
GROUP (INTERIOR) BYPASS	8	4	2	1	630	8	4	2	1	8	4	2	1	582	8	4	2	1	*	*	*	534	*	*	*	*
24-HOUR PROTECTION	8	4	2	1	631	8	4	2	1	8	4	2	1	583	8	4	2	1	*	*	*	535	*	*	*	*
SWEEP SIREN	(8)	(4)	(2)	(1)	632	(8)	(4)	(2)	(1)	(8)	(4)	(2)	(1)	584	(8)	(4)	(2)	(1)	4	2	1	536	*	4	2	1
PULSE-SWEEP SIREN	8	4	2	1	633	8	4	2	1	8	4	2	1	585	8	4	2	1	4	2	(1)	537	*	4	2	1
STEADY SIREN	8	4	2	1	634	8	4	2	1	8	4	2	1	586	8	4	2	1	4	2	1	538	*	4	(2)	(1)
RELAY OUTPUT 1	8	4	2	1	635	8	4	2	1	8	4	2	1	587	8	4	2	1	4	2	1	539	*	4	2	1
RELAY OUTPUT 2	8	4	2	1	636	8	4	2	1	8	4	2	1	588	8	4	2	1	4	2	1	540	*	4	2	1
EXIT/ENTRY 1	8	4	2	1	637	8	4	2	1	8	4	2	1	589	8	4	2	(1)	*	*	*	541	*	*	*	*
EXIT/ENTRY 2	8	4	2	1	638	8	4	2	1	8	4	2	1	590	8	4	2	1	*	*	*	542	*	*	*	*
E/E FOLLOWER	8	4	2	1	639	8	4	2	1	8	4	2	1	591	8	4	2	1	*	*	*	543	*	*	*	*
AUTO RESET	(8)	(4)	(2)	(1)	640	(8)	(4)	(2)	(1)	(8)	(4)	(2)	(1)	592	(8)	(4)	(2)	(1)	*	*	*	544	*	*	*	*
SWINGER SHUTDOWN	(8)	(4)	(2)	(1)	641	(8)	(4)	(2)	(1)	(8)	(4)	(2)	(1)	593	(8)	(4)	(2)	(1)	*	*	*	545	*	*	*	*
CHIME	8	4	2	1	642	8	4	2	1	8	4	2	1	594	8	4	2	(1)	*	*	*	546	*	*	*	*
ABORT DELAY	8	4	2	1	643	8	4	2	1	8	4	2	1	595	8	4	2	1	*	*	*	547	*	4	2	1
POWER-UP DELAY	8	4	2	1	644	8	4	2	1	8	4	2	1	596	8	4	2	1	*	*	*	548	*	*	*	*
DAY ZONE OPEN	8	4	2	1	645	8	4	2	1	8	4	2	1	597	8	4	2	1	*	*	*	549	*	*	*	*
DAY ZONE SHORT	8	4	2	1	646	8	4	2	1	8	4	2	1	598	8	4	2	1	*	*	*	550	*	*	*	*
ALARM ON DAY ZONE	8	4	2	1	647	8	4	2	1	8	4	2	1	599	8	4	2	1	*	*	*	551	*	*	*	*
REPUKI TELCO 1																										
ALARM	8	4	2	1	648	8	4	2	1	8	4	2	1	600	8	4	2	1	4	2	1	552	8	4	2	1
ALARM RESTORE	8	4	2	1	649	8	4	2	1	8	4	2	1	601	8	4	2	1	4	2	1	553	*	4	2	1
TROUBLE	8	4	2	1	650	8	4	2	1	8	4	2	1	602	8	4	2	1	*	*	*	554	*	*	*	*
TROUBLE RESTORE	8	4	2	1	651	8	4	2	1	8	4	2	1	603	8	4	2	1	*	*	*	555	*	*	*	*
REPORT TELCO 3 (DOUBLE OR SPLIT REPORTING)																										
ALARM	8	4	2	1	656	8	4	2	1	8	4	2	1	608	8	4	2	1	4	2	1	560	8	4	2	1
ALARM RESTORE	8	4	2	1	657	8	4	2	1	8	4	2	1	609	8	4	2	1	4	2	1	561	*	4	2	1
TROUBLE	8	4	2	1	658	8	4	2	1	8	4	2	1	610	8	4	2	1	*	*	*	562	*	*	*	*
TROUBLE RESTORE	8	4	2	1	659	8	4	2	1	8	4	2	1	611	8	4	2	1	*	*	*	563	*	*	*	*
NO EOL RESISTOR	8	4	2	1	660	8	4	2	1	8	4	2	1	612	8	4	2	1								
PIR SUPERVISION	8	4	2	1	661	8	4	2	1	8	4	2	1	613	8	4	2	1								
TROUBLE ON OPEN	8	4	2	1	662	8	4	2	1	8	4	2	1	614	8	4	2	1								
TROUBLE ON SHORT	8	4	2	1	663	8	4	2	1	8	4	2	1	615	8	4	2	1								
TROUBLE ON NIGHT OPEN	8	4	2	1	664	8	4	2	1	8	4	2	1	616	8	4	2	1								

### USERS OPENING/CLOSING

	USER				USER				USER				USER													
	*	15	14	13	ADDR	12	11	10	9	8	7	6	5	ADDR	4	3	2	1	4	3	2	1	4	3	2	1
CLOSING REPT TELCO 1	*	4	2	1	565	8	4	2	1	8	4	2	1	564	8	4	2	1								
OPENING REPT TELCO 1	*	4	2	1	567	8	4	2	1	8	4	2	1	566	8	4	2	1								
CLOSING REPT TELCO 3	*	4	2	1	573	8	4	2	1	8	4	2	1	572	8	4	2	1								
OPENING REPT TELCO 3	*	4	2	1	575	8	4	2	1	8	4	2	1	574	8	4	2	1								

**MA2600 KEYPAD PROGRAMMING SHEET**

FEATURE	BANK FIVE					BANK FOUR					BANK THREE				
	POSITION		ADDR	POSITION		POSITION		ADDR	POSITION		POSITION		ADDR	POSITION	
	8 7 6 5	4 3 2 1		8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1		8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1			
ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	
	40 39 38 37		36 35 34 33		32 31 30 29		28 27 26 25		24 23 22 21		20 19 18 17				
PRIORITY ZONE	8 4 2 1	770	8 4 2 1	8 4 2 1	722	8 4 2 1	8 4 2 1	674	8 4 2 1						
PRIORITY WITH BYPASS	8 4 2 1	771	8 4 2 1	8 4 2 1	723	8 4 2 1	8 4 2 1	675	8 4 2 1						
AUTO BYPASS	8 4 2 1	772	8 4 2 1	8 4 2 1	724	8 4 2 1	8 4 2 1	676	8 4 2 1						
SELECTIVE BYPASS	8 4 2 1	773	8 4 2 1	8 4 2 1	725	8 4 2 1	8 4 2 1	677	8 4 2 1						
GROUP (INTERIOR) BYPASS	8 4 2 1	774	8 4 2 1	8 4 2 1	726	8 4 2 1	8 4 2 1	678	8 4 2 1						
24-HOUR PROTECTION	8 4 2 1	775	8 4 2 1	8 4 2 1	727	8 4 2 1	8 4 2 1	679	8 4 2 1						
SWEEP SIREN	8 4 2 1	776	8 4 2 1	8 4 2 1	728	8 4 2 1	8 4 2 1	680	8 4 2 1						
PULSE-SWEEP SIREN	8 4 2 1	777	8 4 2 1	8 4 2 1	729	8 4 2 1	8 4 2 1	681	8 4 2 1						
STEADY SIREN	8 4 2 1	778	8 4 2 1	8 4 2 1	730	8 4 2 1	8 4 2 1	682	8 4 2 1						
RELAY OUTPUT 1	8 4 2 1	779	8 4 2 1	8 4 2 1	731	8 4 2 1	8 4 2 1	683	8 4 2 1						
RELAY OUTPUT 2	8 4 2 1	780	8 4 2 1	8 4 2 1	732	8 4 2 1	8 4 2 1	684	8 4 2 1						
EXIT/ENTRY 1	8 4 2 1	781	8 4 2 1	8 4 2 1	733	8 4 2 1	8 4 2 1	685	8 4 2 1						
EXIT/ENTRY 2	8 4 2 1	782	8 4 2 1	8 4 2 1	734	8 4 2 1	8 4 2 1	686	8 4 2 1						
E/E FOLLOWER	8 4 2 1	783	8 4 2 1	8 4 2 1	735	8 4 2 1	8 4 2 1	687	8 4 2 1						
AUTO RESET	8 4 2 1	784	8 4 2 1	8 4 2 1	736	8 4 2 1	8 4 2 1	688	8 4 2 1						
SWINGER SHUTDOWN	8 4 2 1	785	8 4 2 1	8 4 2 1	737	8 4 2 1	8 4 2 1	689	8 4 2 1						
CHIME	8 4 2 1	786	8 4 2 1	8 4 2 1	738	8 4 2 1	8 4 2 1	690	8 4 2 1						
ABORT DELAY	8 4 2 1	787	8 4 2 1	8 4 2 1	739	8 4 2 1	8 4 2 1	691	8 4 2 1						
POWER-UP DELAY	8 4 2 1	788	8 4 2 1	8 4 2 1	740	8 4 2 1	8 4 2 1	692	8 4 2 1						
DAY ZONE OPEN	8 4 2 1	789	8 4 2 1	8 4 2 1	741	8 4 2 1	8 4 2 1	693	8 4 2 1						
DAY ZONE SHORT	8 4 2 1	790	8 4 2 1	8 4 2 1	742	8 4 2 1	8 4 2 1	694	8 4 2 1						
ALARM ON DAY ZONE	8 4 2 1	791	8 4 2 1	8 4 2 1	743	8 4 2 1	8 4 2 1	695	8 4 2 1						
REPORT TELCO 1															
ALARM	8 4 2 1	792	8 4 2 1	8 4 2 1	744	8 4 2 1	8 4 2 1	696	8 4 2 1						
ALARM RESTORE	8 4 2 1	793	8 4 2 1	8 4 2 1	745	8 4 2 1	8 4 2 1	697	8 4 2 1						
TROUBLE	8 4 2 1	794	8 4 2 1	8 4 2 1	746	8 4 2 1	8 4 2 1	698	8 4 2 1						
TROUBLE RESTORE	8 4 2 1	795	8 4 2 1	8 4 2 1	747	8 4 2 1	8 4 2 1	699	8 4 2 1						
REPORT TELCO 3 (DOUBLE OR SPLIT REPORTING)															
ALARM	8 4 2 1	800	8 4 2 1	8 4 2 1	752	8 4 2 1	8 4 2 1	704	8 4 2 1						
ALARM RESTORE	8 4 2 1	801	8 4 2 1	8 4 2 1	753	8 4 2 1	8 4 2 1	705	8 4 2 1						
TROUBLE	8 4 2 1	802	8 4 2 1	8 4 2 1	754	8 4 2 1	8 4 2 1	706	8 4 2 1						
TROUBLE RESTORE	8 4 2 1	803	8 4 2 1	8 4 2 1	755	8 4 2 1	8 4 2 1	707	8 4 2 1						
NO EOL RESISTOR	8 4 2 1	804	8 4 2 1	8 4 2 1	756	8 4 2 1	8 4 2 1	708	8 4 2 1						
PIR SUPERVISION	8 4 2 1	805	8 4 2 1	8 4 2 1	757	8 4 2 1	8 4 2 1	709	8 4 2 1						
TROUBLE ON OPEN	8 4 2 1	806	8 4 2 1	8 4 2 1	758	8 4 2 1	8 4 2 1	710	8 4 2 1						
TROUBLE ON SHORT	8 4 2 1	807	8 4 2 1	8 4 2 1	759	8 4 2 1	8 4 2 1	711	8 4 2 1						
TROUBLE ON NIGHT OPEN	8 4 2 1	808	8 4 2 1	8 4 2 1	760	8 4 2 1	8 4 2 1	712	8 4 2 1						

## MA2600 KEYPAD PROGRAMMING SHEET

FEATURE	BANK EIGHT				BANK SEVEN				BANK SIX			
	POSITION		POSITION		POSITION		POSITION		POSITION		POSITION	
	8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1	8 7 6 5	4 3 2 1
ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE	ZONE
	64 63 62 61	ADDR	60 59 58 57	56 55 54 53	ADDR	52 51 50 49	48 47 46 45	ADDR	44 43 42 41			
PRIORITY ZONE	8 4 2 1	914	8 4 2 1	8 4 2 1	866	8 4 2 1	8 4 2 1	818	8 4 2 1			
PRIORITY WITH BYPASS	8 4 2 1	915	8 4 2 1	8 4 2 1	867	8 4 2 1	8 4 2 1	819	8 4 2 1			
AUTO BYPASS	8 4 2 1	916	8 4 2 1	8 4 2 1	868	8 4 2 1	8 4 2 1	820	8 4 2 1			
SELECTIVE BYPASS	8 4 2 1	917	8 4 2 1	8 4 2 1	869	8 4 2 1	8 4 2 1	821	8 4 2 1			
GROUP (INTERIOR) BYPASS	8 4 2 1	918	8 4 2 1	8 4 2 1	870	8 4 2 1	8 4 2 1	822	8 4 2 1			
24-HOUR PROTECTION	8 4 2 1	919	8 4 2 1	8 4 2 1	871	8 4 2 1	8 4 2 1	823	8 4 2 1			
SWEEP SIREN	8 4 2 1	920	8 4 2 1	8 4 2 1	872	8 4 2 1	8 4 2 1	824	8 4 2 1			
PULSE-SWEEP SIREN	8 4 2 1	921	8 4 2 1	8 4 2 1	873	8 4 2 1	8 4 2 1	825	8 4 2 1			
STEADY SIREN	8 4 2 1	922	8 4 2 1	8 4 2 1	874	8 4 2 1	8 4 2 1	826	8 4 2 1			
RELAY OUTPUT 1	8 4 2 1	923	8 4 2 1	8 4 2 1	875	8 4 2 1	8 4 2 1	827	8 4 2 1			
RELAY OUTPUT 2	8 4 2 1	924	8 4 2 1	8 4 2 1	876	8 4 2 1	8 4 2 1	828	8 4 2 1			
EXIT/ENTRY 1	8 4 2 1	925	8 4 2 1	8 4 2 1	877	8 4 2 1	8 4 2 1	829	8 4 2 1			
EXIT/ENTRY 2	8 4 2 1	926	8 4 2 1	8 4 2 1	878	8 4 2 1	8 4 2 1	830	8 4 2 1			
E/E FOLLOWER	8 4 2 1	927	8 4 2 1	8 4 2 1	879	8 4 2 1	8 4 2 1	831	8 4 2 1			
AUTO RESET	8 4 2 1	928	8 4 2 1	8 4 2 1	880	8 4 2 1	8 4 2 1	832	8 4 2 1			
SWINGER SHUTDOWN	8 4 2 1	929	8 4 2 1	8 4 2 1	881	8 4 2 1	8 4 2 1	833	8 4 2 1			
CHIME	8 4 2 1	930	8 4 2 1	8 4 2 1	882	8 4 2 1	8 4 2 1	834	8 4 2 1			
ABORT DELAY	8 4 2 1	931	8 4 2 1	8 4 2 1	883	8 4 2 1	8 4 2 1	835	8 4 2 1			
POWER-UP DELAY	8 4 2 1	932	8 4 2 1	8 4 2 1	884	8 4 2 1	8 4 2 1	836	8 4 2 1			
DAY ZONE OPEN	8 4 2 1	933	8 4 2 1	8 4 2 1	885	8 4 2 1	8 4 2 1	837	8 4 2 1			
DAY ZONE SHORT	8 4 2 1	934	8 4 2 1	8 4 2 1	886	8 4 2 1	8 4 2 1	838	8 4 2 1			
ALARM ON DAY ZONE	8 4 2 1	935	8 4 2 1	8 4 2 1	887	8 4 2 1	8 4 2 1	839	8 4 2 1			
REPORT TELCO 1												
ALARM	8 4 2 1	936	8 4 2 1	8 4 2 1	888	8 4 2 1	8 4 2 1	840	8 4 2 1			
ALARM RESTORE	8 4 2 1	937	8 4 2 1	8 4 2 1	889	8 4 2 1	8 4 2 1	841	8 4 2 1			
TROUBLE	8 4 2 1	938	8 4 2 1	8 4 2 1	890	8 4 2 1	8 4 2 1	842	8 4 2 1			
TROUBLE RESTORE	8 4 2 1	939	8 4 2 1	8 4 2 1	891	8 4 2 1	8 4 2 1	843	8 4 2 1			
REPORT TELCO 3 (DOUBLE OR SPLIT REPORTING)												
ALARM	8 4 2 1	944	8 4 2 1	8 4 2 1	896	8 4 2 1	8 4 2 1	848	8 4 2 1			
ALARM RESTORE	8 4 2 1	945	8 4 2 1	8 4 2 1	897	8 4 2 1	8 4 2 1	849	8 4 2 1			
TROUBLE	8 4 2 1	946	8 4 2 1	8 4 2 1	898	8 4 2 1	8 4 2 1	850	8 4 2 1			
TROUBLE RESTORE	8 4 2 1	947	8 4 2 1	8 4 2 1	899	8 4 2 1	8 4 2 1	851	8 4 2 1			
NO EOL RESISTOR	8 4 2 1	948	8 4 2 1	8 4 2 1	900	8 4 2 1	8 4 2 1	852	8 4 2 1			
PIR SUPERVISION	8 4 2 1	949	8 4 2 1	8 4 2 1	901	8 4 2 1	8 4 2 1	853	8 4 2 1			
TROUBLE ON OPEN	8 4 2 1	950	8 4 2 1	8 4 2 1	902	8 4 2 1	8 4 2 1	854	8 4 2 1			
TROUBLE ON SHORT	8 4 2 1	951	8 4 2 1	8 4 2 1	903	8 4 2 1	8 4 2 1	855	8 4 2 1			
TROUBLE ON NIGHT OPEN	8 4 2 1	952	8 4 2 1	8 4 2 1	904	8 4 2 1	8 4 2 1	856	8 4 2 1			

## MA2600 KEYPAD PROGRAMMING SHEET

455			
			(4)
RESET TEST TIMER ON ANY REPORT	1	1	BACKUP REPORTING TELCO 1, 2
ACTIVATE ZONE 14 ON EZM TAMPER	2	2	TOUCHTONE DIALING ONLY
(RESERVED)	4	(4)	TOUCHTONE WITH ROTARY BACKUP
(RESERVED)	8	8	REPORT TEST TIMER ON ZONE 16

	456		457	
TEST TIMER POWER-UP OFFSET (HOURS)				TEST TIMER REPORT INTERVAL (DAYS)
	x16	x1	x16	x1

969			
DISABLE FUNCTION-8 DOWNLOAD	1	1	INTERIOR NORMALLY BYPASSED
DISABLE CALLBACK DOWNLOAD	2	2	(RESERVED)
DISABLE CARRIER DOWNLOAD	4	4	RESET DAY ZONE WITH ARM/DISARM ONLY
DISABLE AUTO-RESET ON DAY ZONE	8	8	WATCH ON WITH FUNCTION 2

970			
			(2)
ACCESS CONTROL ON RELAY OUTPUT 2	1	1	AUTO BELL TEST UPON ARMING
EASY ARM WITH ON/OFF BUTTON	2	(2)	AUTO RESET AFTER SWEEP SIREN TIME-OUT
REPORT SERVICE CODE AS USER 15	4	4	POWER UP IN LAST STATE
START EXIT DELAY AFTER RINGBACK	8	8	DISABLE SMOKE RESET ON RELAY 1

971			
			(D)
ENABLE RED BUTTONS AS FIRE ZONE	(1)	1	OPENING REPORT ONLY AFTER ALARM REPORT
ENABLE GREEN BUTTONS AS ZONE 15	2	2	CLOSING ONLY ON FORCE ARM (AUTO BYPASS)
ENABLE BLUE BUTTONS AS PANIC	(4)	4	INCL SEL/GRP BYPASS IN FORCE ARM/STATUS
ENABLE TELCO TEST ON KEYPAD TEST	(8)	8	STATUS RPT (AUTO-BYPASS ZONES ON CLOS.)

TIME-OUTS	x16	x1
RELAY OUTPUT 1 TIME (MINUTES)	960	
RELAY OUTPUT 2 TIME (MINUTES)	961	
RELAY OUTPUT 2 ACCESS CONTROL TIME (SECONDS)	962	
SWEEP SIREN TIME (MINUTES)	963	
PULSE-SWEEP SIREN TIME (MINUTES)	964	(.,F)
STEADY SIREN TIME (MINUTES)	965	(.,F)
ABORT DELAY TIME (SECONDS)	966	(.,F)
CHIME TIME (SECONDS)	967	
AC FAIL REPORT DELAY (MINUTES)	968	(.,2)
PIR SUPERVISION (24 DISARMED HOURS)	969	(4.,)

CLEAR SHUTDOWN MESSAGE	990
NUMBER OF RINGS BEFORE CALLBACK (3 TO 15)	993
NUMBER OF KEYPADS	995
NUMBER OF EZM GROUPS (4 ZONES = 1 GROUP)	996
CLEAR DEALER PROGRAM	997
LOAD DEFAULT PROGRAM	998
*LOAD PROM	999

\*NOTE: LOADING DATA FROM A PROM WILL ERASE PREVIOUS PROGRAMMING EXCEPT FOR THOSE FEATURES/CODES NOT PROGRAMMABLE BY PROM.